Printing date 11.12.2019

Revision: 11.12.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### • 1.1 Product identifier

- Trade name: VITROPERM<sup>®</sup> 220
- Detailed descriptions:

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

- Information sheet no.: IB110
- Remarks for information sheet

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.

• 1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable

- Application of the article: semi-finished products and parts
- 1.3 Details of the supplier of the information sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Further information obtainable from: Environmental Protection Department
- **1.4 Emergency telephone number:** Tel. no.: (\*\*49) 6181/38-0 Emergency tel. no.: via (\*\*49) 6181/38-0

### **SECTION 2: Hazards identification**

- 2.2 Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable For articles there is no obligation to classify acc. to CLP -Regulation.
- 2.2 Labelling according to Regulation (EC) No 1272/2008 Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable
- Not applicable

   Additional VAC information:

   In the case of dust-producing processing, we recommend observance of the following warnings :

   Hazard statements

   May cause allergy or asthma symptoms or breathing difficulties if inhaled.

   May cause an allergic skin reaction.

   May cause cancer by inhalation. Route of exposure: Inhalation.

   May damage fertility.

   Causes damage to organs through prolonged or repeated exposure.

   Precautionary statements

   Do not breathe dust/fume/gas/mist/vapours/spray.

   Do not eat, drink or smoke when using this product.

   Avoid release to the environment.

   Use personal protective equipment as required.

   In case of inadequate ventilation wear respiratory protection.

(Contd. on page 2)

— Е

for articles

Version number 2

Revision: 11.12.2019

(Contd. of page 1)

Trade name: VITROPERM<sup>®</sup> 220

Get medical advice/attention if you feel unwell.

### 2.3 Other hazards

Danger of accident!

- Always wear protective clothing, protective glasses and safety gloves when handling the bands.
- The bands have sharp edges. There is a danger of (serious) injury from cuts.
- The bands can split and cause (serious) cuts when bent excessively
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

### • 3.2 Chemical characterization:

- Description: Metal in compact form
- Components(composition):

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

	availabio.			
ſ	CAS: 7440-02-0		nickel	<12%
	EINECS: 231-111-4		🕹 Carc. 2, H351; STOT RE 1, H372; 🕖 Skin Sens. 1, H317	
	Index number: 028-002	2-00-7		
Ī	CAS: 7440-48-4		cobalt	<9%
	EINECS: 231-158-0		🗞 Resp. Sens. 1, H334; Carc. 1B, H350i; Repr. 1B, H360F; 🗘 Acute Tox.	
		1-00-9	4, H302; Skin Sens. 1, H317; Aquatic Chronic 4, H413	
	RTECS: GF 8750000			
Ī	CAS: 7440-42-8		boron	<2%
	EINECS: 231-151-2		🚯 Acute Tox. 4, H302	
	RTECS: ED 7350000			
Ī	CAS: 7440-50-8		copper	~1%
	EINECS: 231-159-6		substance with a Community workplace exposure limit	
	RTECS: GL 5325000			
ſ	• NON-hazardous Ingre	edients	3	
t	CAS: 7439-89-6	iron (c	ompact form)	rest%
	EINECS: 231-096-4	-		
	RTECS: NO 4565500			
- H				+

RTECS: NO 4565500		
CAS: 7440-21-3 EINECS: 231-130-8	silicon	~6%
	niobium (compact form)	~5%

### • Additional information:

For the wording of the listed hazard phrases refer to section 16.

Additional Information for Cobalt:

Currently in the EU cobalt metal is not classified as carcinogenic according to Annex VI of the CLP regulation (EC No. 1272/2008). German law classified cobalt metal in the form of respirable dusts/aerosols within Category 3 (DSD; RL 67/548/EWG). At the time of EU regulations becoming effective the positive results of the cobalt metal study carried out by the NTP 1\* were not available.

A new classification within EU regulations based on the results of that study is deemed necessary by German authorities. Since this will be a time consuming process cobalt metal in the form of respirable dusts/aerosols has

Е



for articles

Version number 2

Revision: 11.12.2019

### Trade name: VITROPERM<sup>®</sup> 220

(Contd. of page 2) been classified within German national regulations (TRGS 905) as category 2 (DSD) and category 1B (CLP) in the meanwhile.

\* http://ntp.niehs.nih.gov/ntp/about\_ntp/trpanel/2013/october/draft\_tr-581.pdf

### Additional information for Cobalt:

See also Chapter 11

### **SECTION 4: First aid measures**

4.1 Description of first aid measures

### • After inhalation:

If metal vapours or dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.

• After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

• After eye contact:

Foreign bodies must be removed, consult a doctor if necessary. Beware of metal splinters - Consult a doctor immediately.

• After swallowing: Consult a doctor if the symptoms persist.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Non-combustible.

Extinguishing agents must be adapted to the environment.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)



for articles

Version number 2

Revision: 11.12.2019

Trade name: VITROPERM<sup>®</sup> 220

(Contd. of page 3)

### SECTION 7: Handling and storage

### • 7.1 Precautions for safe handling

Danger of accident!

- Always wear protective clothing, protective glasses and safety gloves when handling the bands.
- The bands have sharp edges. There is a danger of (serious) injury from cuts.
- The bands can split and cause (serious) cuts when bent excessively.

No more safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace.

Take note of emission threshold.

• Information about fire - and explosion protection: No special measures required.

### •7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Not applicable
- Storage class: Not applicable
- •7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities:

Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.

If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).

Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment).

### • 8.1 Control parameters

### • Ingredients with limit values that require monitoring at the workplace:

For International Limit Values see Additional information below.

AGW (Germany)	Long-term value: 0.006A; 0.030E* mg/m <sup>3</sup>	
	8(II);AGS, 24, Sh, Y, 10*, 31*	
7440-48-4 cobal		
ERB (Germany)	0.5 µg/m³ (A) bzw. 5µg/m³ (A)	
MAK (Germany)	einatembare Fraktion; vgl.Abschn.XIII	
7440-42-8 boron		
MAK (Germany)	Long-term value: 0.75E mg/m <sup>3</sup>	
7440-50-8 coppe	r	
DFG (Germany)	Long-term value: 0.1 E mg/m <sup>3</sup>	
	als Cu	
MAK (Germany)	Long-term value: 0.01 A mg/m <sup>3</sup>	
	als Cu	



for articles

Version number 2

Revision: 11.12.2019

Trade name: VITROPERM<sup>®</sup> 220

In German continue to for example	OSH purposes y, occupational exposure limits (AGW) of the Techr	
(Source: In	o constitute workplace atmospheric limit values that le no maximum workplace concentration (MAK value the employer must also consider the DNEL during ri nstitut für Arbeitsschutz der Deutschen Gesetzlicher lues are available: http://www.dguv.de/ifa/gestis/ges	are binding upon employers. Should no AGW and e) of the German Research Foundation (DFG) be isk assessment. n Unfallversicherung (IFA))
7440-02-0		
	Long-term exposure - inhalation - systemic effects	0.05 mg/m³ (Ind) 0.05 mg/m³ (Ind)
7440-48-4		
Inhalative		0.04 mg/m <sup>3</sup> (Ind) 0.0063 mg/m <sup>3</sup> (Consumer)
For therma assumed a • Additional - The lists	for nickel is to be used only for nickel metal. al processes in the presence of atmospheric oxygen and the ERB (TRGS 910) must be applied. I information: valid during the making were used as basis. International Limit Values:	, oxidic nickel compounds must always be
limit-values • 8.2 Expose • Personal p	dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Interr s-for-chemical-agents/index.jsp sure controls protective equipment: rotective and hygienic measures:	lationale-Grenzweite-rur-Chemische-Substanzen-
Keep away Wash hand Store prote	y from foodstuffs, beverages and feed. ds before breaks and at the end of work. ective clothing separately. , drink, smoke or sniff while working.	
Respirator	ry protection:	
In Tir	the case of dust formation (limit value exceeded), b me limits for wearing must be observed.	reathing apparatus must be worn.
- F - B 1 3	reathing mask, apparatus with particle filter P2 or P3 Full face mask (EN 136) Breathing mask (EN 149) FFP2 or FFP3 I0 times the limit value (FFP2) 80 times the limit value (FFP3) Recommendation: P3	, for example:
Protection	ו of hands:	
Av	void repeated and prolonged contact with the skin, u	ise protective gloves.
Drawantiwa	skin protection by use of skin-protecting agents is	ecommended.
Preventive		

(Contd. on page 6)

## — E

# VACUUMSCHMELZE

Printing date 11.12.2019

### 19

### .

for articles

Version number 2

Revision: 11.12.2019

Trade name: VITROPERM<sup>®</sup> 220

(Contd. of page 5)

• Penetration time of glove material -

### • Eye protection:



In the event of larger quantities of dust: Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment The legal issue values and limitations are to be paid attention!

**SECTION 9: Physical and chemical properties** 

• 9.1 Information on basic physical	and chemical properties	
General Information	and chemical properties	
Appearance:		
Form:	Strip	
Colour:	Metallic	
• Odour:	Odourless	
• pH-value:	Not applicable.	
• Change in condition Melting point/Melting range (app	<b>rox.):</b> 1,100 °C	
<ul> <li>Auto-ignition temperature:</li> </ul>	Not applicable	
• Explosive properties:	Not applicable	
Vapour pressure:	Not determined.	
<ul> <li>Density (approx.) at 20 °C:</li> </ul>	7.3 g/cm <sup>3</sup>	
Relative density	Not determined.	
• Solubility in / Miscibility with		
water:	Insoluble.	
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- •10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values:

The following applies for the pure substances:

(Contd. on page 7)



for articles

Version number 2

Revision: 11.12.2019

Trade name: VITROPERM<sup>®</sup> 220

7440-02-0 Oral	LD50	>9,000 mg/kg (rat)
7440-48-4	cobalt	
Oral	LD50	550 mg/kg (rat)
Inhalative	LC50/4 h	mg/l (rat) siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information
7440-42-8	boron	
Oral	LD50	650 mg/kg (rat)

### Serious eye damage/irritation

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

• Additional toxicological information:

Subsequent users should be aware of the fact that Co-metal fine powder are classified as "acute toxic if inhaled, Category 1" (no legal classification); LC50 4hr ≤0,05 mg/l.

In case the subsequent use of product generates fine Co-metal particles (e.g. dust), protection measures such as described in Chapter 7 and 8 of this information sheet must be applied.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity

May cause cancer by inhalation. Route of exposure: Inhalation.

- Reproductive toxicity
- May damage fertility.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure
- Causes damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- •12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Alloys in solid form do not pose an ecological threat.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation Observe offical regulations.

(Contd. on page 8)

E



for articles

Version number 2

Revision: 11.12.2019

Trade name: VITROPERM<sup>®</sup> 220

(Contd. of page 7)

• Uncleaned packaging: Not applicable

### **SECTION 14: Transport information**

- Transport/Additional information:
- Land transport ADR/RID (cross-border):
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air Transport ICAO-TI and IATA-DGR:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27
- National regulations:
- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- TRGS 561 / TRGS 910
- 15.2 Chemical safety assessment: Void (for articles)

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- Wording of the hazard warnings mentioned (Chapter 3) for pure substances:
- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H350i May cause cancer by inhalation. Route of exposure: Inhalation.
- H351 Suspected of causing cancer. Route of exposure: Inhalation.
- H360F May damage fertility.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.
- Department issuing SDS:

Department OPS-C SE Tel. 06181/38-2045

• Contact:

**Environmental Protection Department** Tel. 06181/38-2359

(Contd. on page 9)



for articles

Version number 2

Revision: 11.12.2019

### Trade name: VITROPERM<sup>®</sup> 220

(Contd. of page 8)

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods Ve Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European List of Notified Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
DBT: Derived No-Effect Level (REACH)
DTS: Derived No-Effect Level (REACH)
DC50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPVB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - oral - Category 1
Skin Sens. 1: Respiratory sensitisation - Category 1
Skin Sens. 1: Skin sensitisation - Category 1
Carc. 2: Carcinogenicity - Category 18
Carc. 2: Carcinogenicity - Category 18
STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4
Sources
KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe
Technische Regeln für Gefahrstoffe
\* Data compared to the previous version altered.

