

(MSDS)

Version - No. 2

Reviewed on 03/12/2020

1 Identification

Printing date 03/12/2020

Product identifier

• Trade name: CALORIVAC[®] C

• Article number:

CALORIVAC® C Parts / granulated material (> 100 µm)

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

• Material Safety Data Sheet - no.: IB131

• Application of the substance / the mixture Magnetocaloric material, e.g. Refrigerators, Freezers, Air conditioning equipment, heat pumps, energy conversion

- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Information department: Environmental Protection Department
- Emergency telephone number: Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

2 Hazard(s) identification

Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006. For articles there is no obligation to classify acc. to CLP -Regulation. GHS label elements Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable Additional VAC information: In the case of dust-producing processing, we recommend observance of the following warnings : Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer. Route of exposure: Inhalation. May damage fertility or the unborn child. Precautionary statements Do not breathe dust. Use personal protective equipment as required. If on skin: Wash with plenty of water. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Other hazards Results of PBT and vPvB assessment • PBT: Not applicable. (Contd. on page 2)

(MSDS)

Version - No. 2

Reviewed on 03/12/2020

Trade name: CALORIVAC[®] C

Printing date 03/12/2020

• vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- Chemical characterization:
- Description: La-Fe- Alloy (Parts / granulated material)
- Dangerous components:

The classifications given below reflect the classification of each pure substance respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

CAS: 7439-89-6 EINECS: 231-096-4	iron (compact form)	rest%		
CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9	cobalt	≤10%		
CAS: 7440-21-3 EINECS: 231-130-8	silicon	<6%		
NON-hazardous Ingredients				
CAS: 7439-91-0 lanthan	um	<20%		

EINECS: 231-099-0

• Additional information:

For the wording of the listed hazard phrases refer to section 16.

Additional information for Cobalt:

See also Chapter 11

4 First-aid measures

Description of first aid measures

• After inhalation:

If metal vapours or solid dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.

• After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Consult a doctor if the symptoms persist.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

USA



(MSDS)

Version - No. 2

Reviewed on 03/12/2020

Trade name: CALORIVAC[®] C

Printing date 03/12/2020

(Contd. of page 2)

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- Non-combustible.
- Extinguishing agents must be adapted to the environment.
- Special hazards arising from the substance or mixture
- Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.
- Advice for firefighters
- Protective equipment: Do not inhale fumes.

6 Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- Personal precautions, protective equipment and emergency procedures No special measures required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: No special measures required.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

• Handling:

• Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace. Take note of emission threshold.

Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: Not applicable
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

 Additional information about design of technical systems: Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases. If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).

Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially (Contd. on page 4)

Version - No. 2

Reviewed on 03/12/2020

Trade name: CALORIVAC[®] C

ude and d	(Contd. of pag		
	jing filters (see personal safety equipment).		
• Control pa			
	ts with limit values that require monitoring at the workplace:		
	ron (compact form)		
-	nada) Long-term value: 1* 5** mg/m ³ as iron;*salts, water-soluble;**welding fume		
7440-48-4 0			
PEL (USA)	Long-term value: 0.1* mg/m ³ as Co; *for metal dust and fume		
REL (USA)	Long-term value: 0.05 mg/m ³ as Co; metal dust & fume		
TLV (USA)	Long-term value: 0.02* mg/m ³ *inh. fraction; DSEN, RSEN, BEI		
EL (Canada	 Long-term value: 0.02 mg/m³ total: IARC 2B, S(D), S(R) 		
EV (Canada	a) Long-term value: 0.1 mg/m ³		
7440-21-3 s	ilicon		
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction		
TLV (USA)	TLV withdrawn		
EL (Canada	 Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction 		
EV (Canada	a) Long-term value: 10 mg/m ³ total dust		
In Germany continue to for example available, th (Source: Ins	DSH purposes , occupational exposure limits (AGW) of the Technical Rules on Hazardous Substances (TRGS) 90 constitute workplace atmospheric limit values that are binding upon employers. Should no AGW an no maximum workplace concentration (MAK value) of the German Research Foundation (DFG) be se employer must also consider the DNEL during risk assessment. stitut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA)) es are available: http://www.dguv.de/ifa/gestis/gestis-dnel-liste/index.jsp.		
7440-48-4 0	obalt		
Inhalative I	angzeitexposition - Inhalation - Iokale Wirkung 0.04 mg/m ³ (Ind) 0.0063 mg/m ³ (Consumer)		
Ingredients	with biological limit values:		
7440-48-4 0	-		
BEI (USA)			
	1 μg/L Medium: blood Time: end of shift at end of workweek Parameter: Cobalt (background, semi-quantitative)		
	(Contd. on page		




(MSDS)

Version - No. 2

Reviewed on 03/12/2020

Trade name: CALORIVAC[®] C





Printing date 03/12/2020

ing date 03/12/2020

(MSDS)

Version - No. 2

Reviewed on 03/12/2020

Trade name: CALORIVAC[®] C

		(Contd. of page 5)
Danger of explosion:	Not applicable	
• Vapor pressure:	Not determined.	
• Density (approx) at 20 °C: • Relative density	7.2 g/cm ³ Not determined.	
• Solubility in / Miscibility with Water:	Insoluble.	
 Partition coefficient (n-octanol/water): Other information 	Not determined. No further relevant information available.	

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- LD/LC50 values:

The following applies for the pure substances:

7440-48-4 cobalt		
Oral	LD50	550 mg/kg (rat)
Inhalative		
		siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information
and the second state of th		

Primary irritant effect:

- on the skin: No irritant effect.
- on the eye:

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

Subsequent users should be aware of the fact that Co-metal fine powder are classified as "acute toxic if inhaled, Category 1" (no legal classification); LC50 4hr ≤0,05 mg/l.

In case the subsequent use of product generates fine Co-metal particles (e.g. dust), protection measures such as described in Chapter 7 and 8 of this information sheet must be applied.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 7)

USA



(MSDS)

Version - No. 2

Reviewed on 03/12/2020

Trade name: CALORIVAC[®] C

(Contd. of page 6)

2B

R

Carcinogenic categories

IARC (International Agency for Research on Cancer)

7440-48-4 cobalt

NTP (National Toxicology Program)

7440-48-4 cobalt

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Alloys in solid form do not pose an ecological threat.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation: Observe offical regulations.
- Uncleaned packagings: Not applicable

14 Transport information

- Transport/Additional information:
- ADR
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

• Air transport ICAO-TI and IATA-DGR

• Remarks: Non-hazardous goods from the standpoint of the specified regulations

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances):
- None of the ingredient is listed.

(Contd. on page 8)

(MSDS)

Version - No. 2

Reviewed on 03/12/2020

(Contd. of page 7)

A3

Trade name: CALORIVAC[®] C

Section 313 (Specific toxic chemical listings):		
7440-48-4	cobalt	

• TSCA (Toxic Substances Control Act): All components have the value ACTIVE.

Hazardous Air Pollutants

7440-48-4 cobalt

Proposition 65

• Chemicals known to cause cancer:

7440-48-4 cobalt

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

7440-48-4 cobalt

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- National regulations:
- Information about limitation of use:

Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

• Technical instructions (air): The emission values and limitations must be observed!

Water hazard class: Alloys in solid form do not pose an ecological threat.

- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances

Chemical safety assessment: Void (for articles)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Wording of the hazard warnings mentioned (Chapter 3) for pure substances:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H350 May cause cancer. Route of exposure: Inhalation.

H360 May damage fertility or the unborn child.

• Department issuing SDS:

Department OPS-C SE Tel. 06181/38-2045

(Contd. on page 9)



Version - No. 2

Reviewed on 03/12/2020

Trade name: CALORIVAC[®] C

(Contd.	of page 8)
• Contact:	
Environmental Protection Department	
Tel. 06181/38-2359	
Date of preparation / last revision 03/12/2020 / 1	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International C	arriage of
Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
VPVB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 1B: Carcinogenicity – Category 1B	
Repr. 1B: Reproductive toxicity – Category 1B	
Sources	
- KUHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe	
- Technische Regeln für Gefahrstoffe	

