# Information sheet

for articles

Page 1/7

Printing date 04.03.2020

Version number 6

Revision: 04.03.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier • Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28 • Detailed descriptions: ULTRAVAC 80, - 80D - 80HI, -190FM, -44 V6, -816, -TC390, NiFe 81, VACOPERM BS, Ni81Fe19, Ni72Fe28 ® registered trademark of VACUUMSCHMELZE GmbH & Co. KG Information sheet - no.: IB23 Remarks for information sheet Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006. Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys. However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation. • 1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable • Application of the article: semi-finished products and parts

- 1.3 Details of the supplier of the information sheet

• Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Further information obtainable from: Environmental Protection Department
- **1.4 Emergency telephone number:** Tel. no.: (\*\*49) 6181/38-0 Emergency tel. no.: via (\*\*49) 6181/38-0

## **SECTION 2: Hazards identification**

- 2.2 Classification (substance or mixture) <u>Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):</u> Not applicable For articles there is no obligation to classify acc. to CLP -Regulation.
- 2.2 Labelling according to Regulation (EC) No 1272/2008 Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable
- Additional VAC information: In the case of dust-producing processing, we recommend observance of the following warnings :
  Hazard statements May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure.
  Precautionary statements Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. or protection)

(Contd. on page 2)

<sup>-/</sup> -- F

# Information sheet

for articles

Version number 6

Revision: 04.03.2020

### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 1)

2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- 3.2 Chemical characterization:
- Description: Metal in compact form

#### • Components(composition):

The classifications given below reflect the classification of each pure substance respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-00		nickel	🕸 Carc. 2, H351; STOT RE 1, H372; 🚸 Skin Sens. 1, H317	44-81%	
NON-hazardous Ingredients					
CAS: 7439-89-6 EINECS: 231-096-4 RTECS: NO 4565500	,	ompact fo	rm)	rest%	
CAS: 7439-98-7 EINECS: 231-107-2 RTECS: QA 4680000	molybo	lenum		2-6%	
Remark to the composition: Ni81Fe19 and Ni72Fe28 don't contain any molybdenum					

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

- After inhalation:
- If metal vapours or dusts have been inhaled:

Get the affected person out in the fresh air and call a doctor.

• After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Consult a doctor if the symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)



# Information sheet

for articles

Version number 6

Revision: 04.03.2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 2)

### SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Non-combustible.
- Extinguishing agents must be adapted to the environment.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

•7.1 Precautions for safe handling No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust

(see also section 8):

Ensure good ventilation/exhaustion at the workplace.

Take note of emission threshold.

Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Not applicable
- Storage class: Not applicable
- •7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities:

Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.

If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).

Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment).

(Contd. on page 4)

F



### Page 4/7

Information sheet for articles

Version number 6

Revision: 04.03.2020

## Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

	(Contd. of page 3)
	ol parameters its with limit values that require monitoring at the workplace:
	ational Limit Values see Additional information below.
7440-02-0	) nickel
AGW (Ge	rmany) Long-term value: 0.006A; 0.030E* mg/m <sup>3</sup> 8(II);AGS, 24, Sh, Y, 10*, 31*
7439-98-7	7 molybdenum
MAK (Ger	many) vgl.Abschn.IIb und XII
In Germar continue te for examp available, (Source: le	r OSH purposes ny, occupational exposure limits (AGW) of the Technical Rules on Hazardous Substances (TRGS) 900 o constitute workplace atmospheric limit values that are binding upon employers. Should no AGW and ble no maximum workplace concentration (MAK value) of the German Research Foundation (DFG) be the employer must also consider the DNEL during risk assessment. nstitut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA)) ilues are available: http://www.dguv.de/ifa/gestis/gestis-dnel-liste/index.jsp.
7440-02-0	
	Long-term exposure - inhalation - local effects 0.05 mg/m <sup>3</sup> (Ind)
	Long-term exposure - inhalation - systemic effects 0.05 mg/m <sup>3</sup> (Ind)
- The lists - GESTIS http://www	al information: valid during the making were used as basis. International Limit Values: v.dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanzen- es-for-chemical-agents/index.jsp
• Personal • General p Keep awa	sure controls protective equipment: protective and hygienic measures: and from foodstuffs, beverages and feed. ands before breaks and at the end of work.
<ul> <li>Respirato</li> </ul>	pry protection:
	n the case of dust formation (limit value exceeded), breathing apparatus must be worn. ime limits for wearing must be observed.
-  -   	reathing mask, apparatus with particle filter P2 or P3, for example: Full face mask (EN 136) Breathing mask (EN 149) FFP2 or FFP3 10 times the limit value (FFP2) 30 times the limit value (FFP3) Recommendation: P3
Protection	n of hands:
A	void repeated and prolonged contact with the skin, use protective gloves.
Preventive	e skin protection by use of skin-protecting agents is recommended.

(Contd. on page 5)

E



#### Page 5/7

Information sheet for articles

Version number 6

Revision: 04.03.2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 4)

 Material of gloves Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

• Penetration time of glove material -

## • Eye protection:



In the event of larger quantities of dust:

Wear protective glasses / EN 166, poss. with side protection.

· Limitation and supervision of exposure into the environment

The legal issue values and limitations are to be paid attention!

## SECTION 9: Physical and chemical properties

- •9.1 Information on basic physical and chemical properties
- General Information

• Appearance: Form: Colour: • Odour:	Semi-finished products/parts: e.g. strip, wire, parts and bars Metallic Odourless		
• pH-value:	Not applicable.		
• Change in condition Melting point/Melting range (approx.): 1,400-1,500 °C			
Auto-ignition temperature:	Not applicable		
Explosive properties:	Not applicable		
• Vapour pressure:	Not determined.		
• Density (approx.) at 20 °C: • Relative density	8.7 g/cm <sup>3</sup> Not determined.		
<ul> <li>Solubility in / Miscibility with water:</li> <li>9.2 Other information</li> </ul>	Insoluble. No further relevant information available.		

#### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



#### Page 6/7

Information sheet

for articles

Version number 6

Revision: 04.03.2020

## Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 5)

- LD/LC50 values:
- 7440-02-0 nickel
- Oral LD50 >9,000 mg/kg (rat)
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity
- Suspected of causing cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure
- Causes damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Alloys in solid form do not pose an ecological threat.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation Observe offical regulations.
- Uncleaned packaging: Not applicable

## **SECTION 14: Transport information**

- Transport/Additional information:
- Land transport ADR/RID (cross-border):
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

(Contd. on page 7)



#### Page 7/7

Information sheet

Version number 6

Revision: 04.03.2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 6)

- Air Transport ICAO-TI and IATA-DGR:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU

Printing date 04.03.2020

- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27
- National regulations:
- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- TRGS 561 / TRGS 910
- 15.2 Chemical safety assessment: Void (for articles)

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

Wording of the hazard warnings mentioned (Chapter 3) for pure substances:

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

• Department issuing SDS:

Department OPS-C SE Tel. 06181/38-2045

#### • Contact:

Environmental Protection Department Tel. 06181/38-2359

#### • Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- Skin Sens. 1: Skin sensitisation Category 1
- Carc. 2: Carcinogenicity Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

#### Sources

- KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe
- Technische Regeln für Gefahrstoffe
- •\* Data compared to the previous version altered.

