(MSDS)

Printing date 03/04/2020

Version - No. 6

Reviewed on 03/04/2020

#### **1** Identification

#### • Product identifier

#### • Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

• Article number: ULTRAVAC 80, - 80D - 80HI, -190FM, -44 V6, -816, -TC390, NiFe 81, VACOPERM BS, Ni81Fe19, Ni72Fe28

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

- Material Safety Data Sheet no.: IB23
- Application of the substance / the mixture semi-finished products and parts
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Information department: Environmental Protection Department
- Emergency telephone number: Tel. no.: (\*\*49) 6181/38-0 Emergency tel. no.: via (\*\*49) 6181/38-0

#### 2 Hazard(s) identification

#### Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006. For articles there is no obligation to classify acc. to CLP -Regulation. • GHS label elements Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable Additional VAC information: In the case of dust-producing processing, we recommend observance of the following warnings : Hazard statements May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection. Get medical advice/attention if you feel unwell. Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.

• vPvB: Not applicable.

(Contd. on page 2)

LISA



(MSDS)

Version - No. 6

Reviewed on 03/04/2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 1)

#### 3 Composition/information on ingredients

- Chemical characterization:
- Description: Metal in compact form
- Dangerous components:

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel	44-81%
CAS: 7439-89-6 EINECS: 231-096-4	iron (compact form)	rest%
CAS: 7439-98-7 EINECS: 231-107-2	molybdenum	2-6%

• Remark to the composition: Ni81Fe19 and Ni72Fe28 don't contain any molybdenum

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First-aid measures

#### • Description of first aid measures

• After inhalation:

If metal vapours or solid dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.

• After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Consult a doctor if the symptoms persist.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Non-combustible.

Extinguishing agents must be adapted to the environment.

• Special hazards arising from the substance or mixture

Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.

(Contd. on page 3)

USA



(MSDS)

Version - No. 6

Reviewed on 03/04/2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 2)

#### Advice for firefighters

Protective equipment: No special measures required.

#### 6 Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

Personal precautions, protective equipment and emergency procedures No special measures required.

- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: No special measures required.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### • Handling:

• Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Ensure good ventilation/exhaustion at the workplace.

Take note of emission threshold.

• Information about protection against explosions and fires: No special measures required.

#### · Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: Not applicable
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

#### Additional information about design of technical systems:

Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.

If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).

Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment).

Control parameters

• Components with limit values that require monitoring at the workplace:

7440-02-0 ni	ckel
PEL (USA)	Long-term value: 1 mg/m <sup>3</sup>
REL (USA)	Long-term value: 0.015 mg/m <sup>3</sup> as Ni; See Pocket Guide App. A
	$(\mathbf{O}_{\mathbf{r}}, \mathbf{r}_{\mathbf{r}})$

(Contd. on page 4)



USA



Printing date 03/04/2020

Version - No. 6

Reviewed on 03/04/2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

	(Contd. of page 3)		
TLV (USA)	Long-term value: 1.5* mg/m <sup>3</sup> elemental, *inhalable fraction		
EL (Canada)			
EV (Canada)			
 7439-89-6 iro	on (compact form)		
 EV (Canada) Long-term value: 1* 5** mg/m <sup>3</sup>			
. ,	as iron;*salts, water-soluble;**welding fume		
7439-98-7 mo	•		
PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> *Total dust, as Mo		
TLV (USA)	Long-term value: 10* 3** mg/m <sup>3</sup> as Mo; *inhalable fraction ** respirable fraction		
EL (Canada)	Long-term value: 3* 10** mg/m <sup>3</sup>		
EV (Canada)	as Mo; *respirable **inhalable Long-term value: 10* 3** 0.5*** mg/m <sup>3</sup>		
	metal,insol.compd.:*inh;**resp;sol.compd.:***resp		
continue to co for example n available, the (Source: Insti	occupational exposure limits (AGW) of the Technical Rules on Hazardous Substances (TRGS) 900 onstitute workplace atmospheric limit values that are binding upon employers. Should no AGW and to maximum workplace concentration (MAK value) of the German Research Foundation (DFG) be employer must also consider the DNEL during risk assessment. tut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA))		
	s are available: http://www.dguv.de/ifa/gestis/gestis-dnel-liste/index.jsp.		
 7440-02-0 nic			
	ngzeitexposition - Inhalation - Iokale Wirkung 0.05 mg/m <sup>3</sup> (Ind) ngzeitexposition - Inhalation - system. Wirkung 0.05 mg/m <sup>3</sup> (Ind)		
• Additional O	ccupational Exposure Limit Values for possible hazards during processing: rocesses in the presence of atmospheric oxygen, oxidic nickel compounds must always be		
• Additional in The lists that GESTIS Inter http://www.dg	formation: were valid during the creation were used as basis. national Limit Values: uv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanzen- or-chemical-agents/index.jsp		
<ul> <li>General prot Keep away from</li> </ul>	ntrols otective equipment: ective and hygienic measures: om foodstuffs, beverages and feed. before breaks and at the end of work.		
<ul> <li>Breathing eq</li> </ul>	uipment:		
In the Time	e case of dust formation (limit value exceeded), breathing apparatus must be worn. limits for wearing must be observed.		
	thing mask, apparatus with particle filter P2 or P3, for example: face mask (EN 136)		
- Brea	athing mask (EN 149) FFP2 or FFP3 imes the limit value (FFP2)		
30 t	imes the limit value (FFP3)		
Rec	commendation: P3 (Contd. on page 5)		
	USA		

(MSDS)

Reviewed on 03/04/2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 4)

• Protection of hands:

Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves

Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

- Penetration time of glove material -
- Eye protection:



In the event of larger quantities of dust: Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment The legal issue values and limitations are to be paid attention!

#### 9 Physical and chemical properties

Information on basic physical and che     General Information	mical properties
Appearance: Form:	Semi-finished products/parts: e.g. strip, wire and parts
Color:	Metallic
• Odor:	Odourless
• pH-value:	Not applicable.
• Change in condition Melting point/Melting range (approx): 1,400-1,500 °C	
• Auto igniting:	Not applicable
<ul> <li>Danger of explosion:</li> </ul>	Not applicable
Vapor pressure:	Not determined.
• Density (approx) at 20 °C:	8.7 g/cm <sup>3</sup>
Relative density	Not determined.
• Solubility in / Miscibility with Water:	Insoluble.
<ul> <li>Partition coefficient (n-octanol/water):</li> <li>Other information</li> </ul>	Not determined. No further relevant information available.

#### 10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing date 03/04/2020

Version - No. 6

<sup>-</sup> USA

(MSDS)

Version - No. 6

Reviewed on 03/04/2020

(Contd. of page 5)

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

• Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- LD/LC50 values:
- 7440-02-0 nickel
- Oral LD50 >9,000 mg/kg (rat)
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye:

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

- Sensitization: No sensitizing effects known.
- Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- Carcinogenic categories
- IARC (International Agency for Research on Cancer)
- 7440-02-0 nickel
- NTP (National Toxicology Program)

7440-02-0 nickel

• OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Alloys in solid form do not pose an ecological threat.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- Waste treatment methods
- Recommendation: Observe offical regulations.

(Contd. on page 7) USA



Printing date 03/04/2020

2B

R

(MSDS)

Reviewed on 03/04/2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 6)

• Uncleaned packagings: Not applicable

• DOT	Void
• DOT	
<ul> <li>Class</li> </ul>	Void
• DOT	Void
Transport/Addit	ional information:
• ADR • Remarks:	Non-hazardous goods from the standpoint of the specified regulations
Maritime transpo	ort IMDG:
• Remarks:	Non-hazardous goods from the standpoint of the specified regulations
• Air transport ICA	AO-TI and IATA-DGR
• Remarks:	Non-hazardous goods from the standpoint of the specified regulations

#### 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

7440-02-0 nickel

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients is listed.

• Proposition 65

• Chemicals known to cause cancer:

7440-02-0 nickel

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

7440-02-0 nickel

7439-98-7 molybdenum

NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-02-0 nickel

(Contd. on page 8)

A5

A3



Printing date 03/04/2020

Version - No. 6

USA -

### Material Safety Data Sheet (MSDS)

Version - No. 6

Reviewed on 03/04/2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 7)

- USA

#### National regulations: Information about limitation of use: Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed. • Technical instructions (air): The emission values and limitations must be observed! • Water hazard class: Alloys in solid form do not pose an ecological threat. Other regulations, limitations and prohibitive regulations e.g. - 1272/2008/EG (CLP) - 1907/2006/EG (REACH) German Hazardous Substances Chemical safety assessment: Void (for articles) 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases Wording of the hazard warnings mentioned (Chapter 3) for pure substances: H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H372 Causes damage to organs through prolonged or repeated exposure. • Department issuing SDS: Department OPS-C SE Tel. 06181/38-2045 • Contact: **Environmental Protection Department** Tel. 06181/38-2359 Date of preparation / last revision 03/04/2020 / 5 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 (Contd. on page 9)



Version - No. 6

Reviewed on 03/04/2020

#### Trade name: ULTRAVAC®, NiFe 81®, VACOPERM BS®, Ni81Fe19®, Ni72Fe28

(Contd. of page 8)

USA

Sources

- KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe - Technische Regeln für Gefahrstoffe
- •\* Data compared to the previous version altered.

MSCHMELZE