

for articles

Printing date 13.10.2011 Version number 1 Revision: 13.10.2011

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: VACOFLEX 7436 ®

• Information sheet - no.: IB7

Remarks for information sheet

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.

- Relevant identified uses of the substance or mixture and uses advised against
- Application of the article: semi-finished products and parts
- Details of the supplier of the information sheet
- Manufacturer/Supplier:

VACUUMSCHMELZE GmbH & Co.KG

Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Further information obtainable from: Environmental Protection Department
- Emergency telephone number:

Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

2 Hazards identification

• Classification (substance or mixture)

Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):

Not applicable

For articles there is no obligation to classify acc. to CLP -Regulation.

GHS label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation):

Not applicable

Additional VAC information:

In the case of dust-producing processing, we recommend observance of the following warnings:

Hazard statements

May cause an allergic skin reaction.

Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

In case of inadequate ventilation wear respiratory protection.

Use personal protective equipment as required.

Avoid release to the environment.

Do no eat, drink or smoke when using this product.

Get medical advice/attention if you feel unwell.

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

. F



for articles

Printing date 13.10.2011 Version number 1 Revision: 13.10.2011

Trade name: VACOFLEX 7436 ®

(Contd. of page 1)

3 Composition/information on ingredients

- Chemical characterization:
- Description: Metal in compact form
- Components(composition):

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

CAS: 7439-96-5 EINECS: 231-105-1 RTECS: OO 9275000	manganese		~ 40%
CAS: 7439-89-6 EINECS: 231-096-4 RTECS: NO 4565500	iron		~ 30%
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel	▼ T R48/23; ▼ Xn R40; ▼ Xi R43 Carc. Cat. 3 ▼ H351; H372; ↑ H317	~ 25%
CAS: 7440-50-8 EINECS: 231-159-6 RTECS: GL 5325000	copper		~ 5%

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- Description of first aid measures
- After inhalation:

If metal vapours or solid dusts have been inhaled:

Get the affected person out in the fresh air and call a doctor.

After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Consult a doctor if the symptoms persist.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

Non-combustible.

Extinguishing agents must be adapted to the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- Personal precautions, protective equipment and emergency procedures No special measures required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: No special measures required.

(Contd. on page 3)



for articles

Printing date 13.10.2011 Version number 1 Revision: 13.10.2011

Trade name: VACOFLEX 7436 ®

(Contd. of page 2)

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• Handling:

Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures

must be taken for processing steps which cause dust

(see also section 8):

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Take note of emission threshold.

- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Not applicable
- Storage class: Not applicable
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical facilities:

Suction and filtering and good ventilation of the working area must be provided for processes where dust is formed.

Approved industrial vacuum cleaners of at least dust class M must be used (DIN EN 60335-2-69). Recommended: dust class H

Suitable breathing apparatus must be used during repair and maintenance work on suction systems (see personal safety equipment).

Control parameters

• Ingredients with limit values that require monitoring at the workplace:

The new Hazardous Goods Act (01.01.2005) has revoked the legal basis of the TRK values and abolished these values without replacement. However, the technical limit values will act as guides in determining which exposition levels (based on state-of-the-art technology) had to be undershot at the time the limit values were calculated. For this reason, these values will continue to be listed in Point 8 of the Safety Data Sheet for the time being.

7439-96-5 manganese		
MAK (TRGS 900)-GERMANY (W)	Short-term value: 2,0 E mg/m³ Long-term value: 0,5 E mg/m³ Y, 25; (DFG)	
7440-02-0 nickel		
1. RECOMMENDATION GERMANY (W)	0,5 E mg/m³ TRGS 901-78	
7440-50-8 copper		
MAK - GERMANY (W)	0,1 E mg/m³	
		(0

(Contd. on page 4)



for articles

Printing date 13.10.2011 Revision: 13.10.2011 Version number 1

Trade name: VACOFLEX 7436 ®

(Contd. of page 3)

- Additional Occupational Exposure Limit Values for possible hazards during processing: Compliance with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured.
- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:



In the case of dust formation (limit value exceeded), breathing apparatus must be worn. Time limits for wearing must be observed.

Breathing mask, apparatus with particle filter P2 or P3, for example:

- Full face mask (EN 136)
- Breathing mask (EN 149) FFP2 or FFP3

10 times the limit value (FFP2)

30 times the limit value (FFP3)

Recommendation: P3

Protection of hands:



Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves

Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

- · Penetration time of glove material -
- Eve protection:



In the event of larger quantities of dust:

Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment

The legal issue values and limitations are to be paid attention!

9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Semi-finished products/parts: e.g. strip, wire and parts Colour: Metallic

• Odour: Odourless • pH-value: Not applicable.

 Change in condition Melting point/Melting range (app 	orox.): 1400°C	
Self-igniting:	Not applicable	
Danger of explosion:	Not applicable	
Vapour pressure:	Not determined.	
Density (approx.) at 20°C:Relative density	7,8 g/cm ³ Not determined.	

(Contd. on page 5)



for articles

Printing date 13.10.2011 Version number 1 Revision: 13.10.2011

Trade name: VACOFLEX 7436 ®

(Contd. of page 4)

Solubility in / Miscibility with

water: Insoluble.

Other information
 No further relevant information available.

10 Stability and reactivity

- Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Hydrogen is released in contact with acid which can cause explosive gas mixtures.

- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- LD/LC50 values:

The following applies for the pure substance (here: nickel):

7440-02-0 nickel

Oral LD50 > 9000 mg/kg (rat)

- Primary irritant effect:
- on the skin: see sensitization
- on the eye:

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

Sensitization:

In the case of repeated and prolonged contact with the skin with metallic nickel there is a possibility of sensitization.

Subacute to chronic toxicity:

Nickel in the form of a respirable dust is under suspicion as a possible cause of cancer in humans (carc.2 (Cat. 2) / CLP-Verordnung)

• Additional toxicological information:

When used and handled according to specifications, the article not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- Toxicity
- Acquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

E -



for articles

Printing date 13.10.2011 Revision: 13.10.2011 Version number 1

Trade name: VACOFLEX 7436 ®

(Contd. of page 5)

13 Disposal considerations

- Waste treatment methods
- Recommendation Observe offical regulations.
- Uncleaned packaging: Not applicable

14 Transport information

- Transport/Additional information:
- Land transport ADR/RID (cross-border):
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air Transport ICAO-TI and IATA-DGR:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations:
- · Other regulations, limitations and prohibitive regulations

- guidelines 67/548/ECC, 1999/45/EC
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- Chemical safety assessment: Void (for articles)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Wording of the hazard warnings mentioned (Chapter 3) for pure substances:

- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- Causes damage to organs through prolonged or repeated exposure. H372
- Limited evidence of a carcinogenic effect. R40
- R43 May cause sensitisation by skin contact.

R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Department issuing MSDS:

Department HT-F Tel. 06181/38-2045

Contact:

Environmental Protection Department

Tel. 06181/38-2359

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 7)





for articles

Printing date 13.10.2011 Version number 1 Revision: 13.10.2011

Trade name: VACOFLEX 7436 ®

(Contd. of page 6)

Sources

- KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe
 Technische Regeln für Gefahrstoffe
 BIA-Gefahrstoffdatenbank